Doc description: Information Disclosure Statement (IDS) Filed

PTO/SB/05a (06-09)
Approved for use through 07/31/2009 OMB 0651-0001
U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

INFORMATION DISCLOSUR	Ł
STATEMENT BY APPLICAN	Π
(Not for submission under 37 CFR 1.9	9)

Application Number		10809578		
Filing Date		2004-03-25		
First Named Inventor Lang.		Philipp		
Art Unit		2624		
Examiner Name	Lu, Te	om Y.		
Attornov Docket Numb	~	2155/124		

			Remove			
Examiner Initial*	raminer Cite No Patent Number Kind Code1 Issue Date		Name of Patentee or Applicant of cited Document	Pages,Columns,Lines where Relevant Passages or Relevant Figures Appear		
	1	6442287	B1	2002-08-27	Jiang et al	
	2	6306822	B1	2001-10-23	Kumagai et al.	
	3	6246745	B1	2001-06-12	Bretal	
	4	6108635		2000-08-22	Herren et al	
	5	6077224		2000-06-20	Lang et al	
	6	5915036		1999-06-22	Grunkin et al	
	7	5772592		1998-06-30	Cheng et al	
	8	5673298		1997-09-30	Mazess	

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Not for submission under 37 CFR 1.99) Art Unit Examiner N

Application Number		10809578			
Filing Date		2004-03-25			
First Named Inventor	Lang,	Philipp			
Art Unit		2624			
Examiner Name Lu,		om Y.			
Attorney Docket Numb	er	3155/124			

	9	5335260		1994-08	5-02	Amoid					
	10	5320102		1994-06	5-14	Paul et al					
	11	5270651		1993-12	2-14	Wehrli					
	12	5247934		1993-09	J-28	Wehrli et al					
	13	5228445		1993-07	7-20	Pak et al					
	14	4721112		1988-01	1-26	Hirano et al					
If you wisi	h to a	dd additional U.S. Pater							Add		
			U.S.P	ATENT	APPLI	CATION PUBL	LICATIONS		Remove		
Examiner Initial*	Examiner Cite No Publication Number Kind Code1					Name of Pate of cited Docu	entee or Applicant iment	Releva		ines where es or Relev	
	1	20020191823	A1	2002-12	2-19	Wehrli et al					
If you wis	h to a	dd additional U.S. Publi:	shed Ap	plication	citatio	n information p	olease click the Ad	d button	Add		_
				FOREIG	GN PAT	ENT DOCUM	ENTS		Remove		
Examiner Initial*	Cite No	Foreign Document Number ³	Country Code ²		Kind Code ⁴		Name of Patente Applicant of cited Document	e or		r Relevant	

Application Number 10809578 Filing Date 2004-03-25 INFORMATION DISCLOSURE First Named Inventor Lang, Philipp STATEMENT BY APPLICANT Art Unit 2624 (Not for submission under 37 CFR 1.99) Examiner Name Lu, Tom Y. 3155/124 Attorney Docket Number

A2

2002-04-18

Osteonet.com, Inc. 2002 02 24 Leland Stanford Junior

wo

	1	0222014	" "	^'	2002-03-21	University					
	3	0072216	wo	A1	2000-11-30	Torsana Osteoporosis Diagnostics A/S					
	4	0570936	EP	B1	2000-08-09	Aloka Co. Ltd					
	5	9945845	wo	A1	1999-09-16	Lang et al.					
	6	9908597	wo	A1	1999-02-25	Mendlein et al.					
	7	9514431	wo	A1	1995-06-01	Arch Development Corp.					
If you wis	h to a	dd additional Foreign P				ease click the Add buttor					
			NON-PATER	NT LITE	RATURE DO	CUMENTS	Remove				
Examiner Initials*	Cite No		nal, serial, symp	osium,	catalog, etc), o	the article (when approp fate, pages(s), volume-is		Τŝ			
	1	EPO Communication, Appl. No. 04 700 819 2 - 2305, dated 12/13/2007 (3 pages).									
	2	BLAKE et al., "Active Contours - The Application of Techniques from Graphics, Vision, Control Theory and Statistics to Visual Tracking of Shapes in Motion," Springer-Verlag (1998), Title and Table of Content pages only (ISBN 3-540-78217-5), is pages.									

1 0230283

0222014

3	BUSHBERG et al., "The Essential Physics of Medical Imaging," Williams & Williams (1994), Title and Table of Contents pages only (ISBN 0-883-01140-5), 3 pages.	
4	CANN, "Quantitative CT for Determination of Bone Mineral Density: A Review," Radiology (1988), Vol. 166, No. 2, Pages 509-522.	
5	CASTLEMAN, "Digital image Processing," Prentice Hall (1996), Title and Table of Contents pages only (ISBN 0-13-211467-4), 9 pages.	
6	CHEAL et al., "Role of Leads and Prosthess Material Properties on the Mechanics of the Proximal Femur After Total Hip Arthroplasty," J. Orthop. Res. (1992), Vol. 10, Pages 405-422.	
7	CORTET et al., "Bone Microarchitecture and Mechanical Resistance," Joint Bone Spine (2001), Vol. 68, Pages 297-305.	
8	CUMMINGS et al., "Bone Density At Various Sites for Prediction of Hip Fractures," The Lancet (1993), Vol. 341, Pages 72-75.	
9	EASTELL, "Treatment of Postmenopausal Osteoporosis," New Engl. J. Med. (1998), Vol. 338, No. 11, Pages 736-746.	
10	FAULKNER, "Bone Densitometry: Choosing the Proper Skeletal Site to Measure," J. Clin. Densitometry (1998), Vol. 1, No. 3, Pages 279-285.	
11	GLÜER et al., "Peripheral Measurement Techniques for the Assessment of Osteoporosis," Semin. Ned. Med. (1997), Vol. 27, No. 3, Pages 229-247.	
12	GLÜER, "Quantitative Ultrasound Techniques for the Assessment of Osleoporosis: Expert Agreement on Current Status,", J Bone Minor, Res. (1997), Vol. 12, No. 8, Pages 1280-1288.	
13	HOSKING et al., "Prevention of Bone Loss with Alendronate in Postmenopausal Women Under 60 Years of Age," N. Engl. J. Med. (1999), Vol. 338, No. 8, Pages 485-492.	

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Not for submission under 37 CFR 1.99)

Application Number			10809578			
	First Named Inventor Lang, I		2004-03-25			
			Philipp			
			2624			
	Examiner Name	Lu, To	om Y.			
	Attorney Docket Numb	er	3155/124			

14	LAM et al., "X-Ray Diagnosas: A Physician's Approach," Springer-Verlag (1998), Title and Table of Contents pages only, (ISBN 981-3083-24-7), 4 pages.	
15	MARSHALL et al., "Meta-Analysis of How Well Messures of Bone Mineral Density Predict Occurrence of Osteoporotic Fractures," Br. Med. J. (1996), Vol. 312, Pages 1254-1259.	
16	NJEH et al., "The Role of Ultrasound in the Assessment of Osleopoross: A Review," Osleoporosis Int. (1997), Vol. 7, Pages 7-22.	
17	NJEH et al., "Quantitative Ultrasound: Assessment of Osteopoross and Bone Status," Martin Dunitz (1999), Title and Table of Contents pages only, (ISBN 1-85317-679-6), 4 pages.	
18	PATEL et al., "Radiation Dose to the Patient and Operator from a Peripheral Dual X-Ray Absorptiometry System," J. Clin. Densitiom. (1999), Vol. 2, Pages 397-401.	
19	RUSS, "The Image Processing Handbook", CRC/IEEE Press (1998), 3rd Edition, Pages. 494-501.	
20	RUTTIMANN et al., "Fractal Dimension from Radiographs of Pendental Alveolar Bone, A Possible Diagnostic Indicator of Osteoporosis," Oral Surg. Oral Med. Oral Pathol. (1982), Vol. 74, No. 1, Pages 98-110.	
21	SHROUT et al., "Comparison of Morphological Measurements Extracted from Digitized Dental Radiographs With Lumbar and Femoral Bone Mineral Density Measurements in Postmenopeusal Women," J. Periodoniol (2000), Vol. 71, No. 3, Pages 335-340.	
22	SLONE et al., "BCDY CT: A Practical Approach", McGraw-Hill (2000), Title and Table of Contents pages only, ISBN 0-07-058219-X), 4 pages.	
23	SOUTHARD et al., "Quantitative Features of Digitized Radiographic Bone Profiles," Oral Surgery, Oral Medicine, and Oral Pathology (1992), Vol. 73, No. 6, Pages 751-759.	
24	STOUT et al., "X-Ray Structure Determination: A Practical Guide," John Wiley & Sons (1989), 2nd Edition, Title and Table of Contents pages only, 4 pages.	

25	SVENDSEN et al., "Impact of Soft Tissue on In Vivo Accuracy of Bone Mineral Messurements in the Spine, Hip, and Forestrin. A Human Cadaver Study." J. Bone Miner. Res. (1995), Vol. 10, No. 6, Pages 869-873	
26	TOTHILL et al., "Errors Due to Non-Uniform Distribution of Fat In Dust X-Ray Absorptometry of the Lumbar Spine," Br. J. Radiol. (1992), Vol. 65, No. 777, Pages 807-813.	
27	VERHOEVEN et al., "Densitometro Messurements of the Manditele: Accuracy and Validity of Intraoral Versus Extraoral Radiographical Techniques In An In Vitro Study," Clin. Oral Impl. Res. (1998), Vol. 9, Pages 333-342.	
28	WHITE et al., "Alternations of the Trabecular Pattern of the Jaws in Patients with Osteoporosis," Oral Surg., Oral Med., Oral Pathology (1999), Vol. 88, Pages 628-635.	

If you wish to add additional non-patent literature document citation information please click the Add button Add

EXAMINER SIGNATURE

Examiner Signature Date Considered

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through a citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

See Kind Codes of UBPTO Patent Documents at view (LBPTO_GDV; or MREP 60164. * Enter office that issued the document, by the hor-lefter office (WIPO) Standard ST3.) * For Lapranese patent documents, the ancidation of the parent of the register or presence the sensit number of the opatent document. * And of document by the appropriate symbols as endicated on the document under WIPO Standard ST1.6 if possible, * Applicant is to place a check mark here if English targuage strategies in satisfactor.*